

CONGER 10S4P

Battery Pack for e-bike application







System








CONGER 10S4P


Battery pack for e-bike application





TECHNICAL SPECIFICATIONS

Parameters	Battery pack 10S4P
Application	For e-bike (pedelec)
Pack configuration	10S4P
Cell type	18650 (TerraE 35E)
Dimension	434x76,6x68mm
Weight	2.9 kg
Nominal capacity @ 25°C	13,4Ah (35E)
Nominal voltage	36V
Nominal energy @ 25°C	480Wh
Maximum continuous discharge current	18A
Maximum continuous charge current	4A
Certification, approvals	UN 38.3, EN 15194
Communication interface	CAN (Bafang)/without communication
Pre-charge	Yes
Housing material / color	Aluminium / Plastic / Black



Any questions?

Contact us, we will be pleased to advise you.

Headquarters

BMZ Germany GmbH

Zeche Gustav 1 63791 Karlstein am Main Germany

T: +49 6188 9956-0 **E:** mail@bmz-group.com

BMZ USA Inc.

1429 Miller Store Road Virginia Beach VA 23455 USA

T: +1 757 821-8494

E: contact-usa@bmz-group.com

BMZ Company Ltd.

Julong Technology Building B Cuibao Road, Longgang District, Shenzhen, Guangdong Province P.R.China 518116

T: +86 755 8977 5800

E: contact.cn@bmz-group.com

BMZ Poland Sp. z o.o.

Alberta Einsteina 9 44-109 Gliwice Poland

T: +48 327842 450

E: power2ride@bmz-group.com

BMZ Innovation Group Ltd

Future Business Centre Kings Hedges Road Cambridge, CB4 2HY United Kingdom

T: +44 7767 038663

E: power.uk@bmz-group.com

BMZ Japan KK

Shitaya 1-6-5, Taito-ku, Tokyo, 110-0004 Japan

T: +81 35811 1973

E: tokio.kobayashi@bmz-group.com

BMZ France S.A.R.L.

16 Rue Auber 75009 Paris France

T: +33 06 84 52 76 29

E: contact_bmzfrance@bmz-group.com

www.bmz-group.com

© BMZ 2025

All rights reserved. Preliminary data sheet. Although great care has been taken in the preparation of this data sheet, BMZ accepts no responsibility for any errors or omissions. All information contained herein is subject to change without notice.

